
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

b	
	c

62.97

-1034



PRICE LIST

WHITE ELM NURSERY CO. HARTLAND, WIS.

Twenty-three Miles West of Milwaukee On Federal Highway 16

Telephone Hartland 211

White Elm Nursery Co.



PRICE LIST



TERMS AND CONDITIONS OF SALE

Packing

These prices include free packing.

Delivery

These prices include free delivery to such places as can be reached without unreasonable expense.

Guarantee

We guarantee to replace, free of charge, all plants which fail to grow, providing they have been given proper care, payment has been made when due, and notification of such failures is made before September 1 following delivery. Planting of such replacements will be additional.

Planting

These prices do not include planting but arrangement for planting can be made at a reasonable cost.

Terms

A discount of 2% will be made if paid within ten days from date of invoice; thirty days net.

Prices

Five of a kind at tens rate, fifty at hundreds rate. Tens rate will be allowed on orders over \$50.00. Hundreds rate will be allowed on orders over \$200.00.

We try to furnish the maximum in service and quality. Some nurseries do not include free delivery, guarantee, etc., and may quote lower prices for this reason. We will be pleased to quote discounts without such special service. In comparing prices, both nurseries should be asked to quote on the same terms. In the same conditions of service and quality, we welcome comparison of prices.

Landscape Service

We specialize in landscape work and are prepared to furnish plans and specifications alone, or will prepare plans, furnish material, and carry out the work in full, as desired.

Location

Located on Federal Highway 16, ¼ mile east of State Highway 83, 23 miles west of Milwaukee at the west limits of Hartland. Can also be reached by Milwaukee-Oconomowoc bus line and the C., M., St. P. & P. Railroad.

TREES

The diameter (or caliper) "C" of all trees is measured six inches above the ground.

the ground.		10'a	100%
	** .	10 's	100 's
	Each	rate	rate
ACER—Maple—			
Dasycarpum. Silver Maple8-10 ft	.75	.70	.65
$1\frac{1}{2}$ -2 in C	1.50	1.40	1.30
$2-2\frac{1}{2}$ in. C	2.40	2.20	2.10
$2\frac{1}{2}$ -2 in. C			
	4.00	3.75	3.50
$3-3\frac{1}{2}$ in. C	5.50	5.00	4.75
$3\frac{1}{2}$ -4 in. C	7.50	7.00	$\boldsymbol{6.75}$
4-5 in.C	10.00	9.50	9.00
5-6 in C	15.00	14.00	13.00
Negundo. Box Elder6-8 ft6-8	.60	.50	.45
8-10 ft	.80	.75	.70
$1\frac{1}{2}$ -2 in. C	1.50	1.40	1.30
$2-2\frac{1}{2}$ in. C	2.40	2.20	2.10
$2\frac{1}{2}$ -3 in. C	4.00		
		3.75	3.50
$3-3\frac{1}{2}$ in. C	5.50	5.50	4.75
$3\frac{1}{2}$ -4 in. C	7.50	7.00	6.75
4-5 in. C	$\boldsymbol{10.00}$	9.50	9.00
Distancides Norman Morals 9 10 ft	9.90	0.10	9.00
Platanoides. Norway Maple8-10 ft	2.20	2.10	2.00
$1\frac{1}{4}-1\frac{1}{2}$ in. C	3.20	3.10	3.00
$1\frac{1}{2}-1\frac{3}{4}$ in. C	4.00	3.80	3.60
$1\frac{3}{4}$ -2 in. C	5.00	4.75	4.50
$2-2\frac{1}{2}$ in. C	6.00	5.75	5.50
$2\frac{1}{2}$ -3 in. C	8.00	7.75	7.50
$3-3\frac{1}{2}$ in. C	10.00	9.50	9.00
$3\frac{1}{2}$ -4 in. C	12.00	11.00	10.00
Saccharum. Sugar Maple8-10 ft	2.50	2.40	2.30
•			
$1\frac{1}{4} - 1\frac{1}{2}$ in C	3.50	3.40	3.30
$1\frac{1}{2}-1\frac{3}{4}$ in. C	4.25	4.10	4.00
1¾-2 in. C	$\bf 5.50$	$\bf 5.25$	$\bf 5.00$
Coheredles Dedlesf Monle 9 10 ft	4.00	9 ME	9 50
Schwedler. Redleaf Maple8-10 ft	4.00	3.75	3.50
$1\frac{1}{4} - 1\frac{1}{2}$ in. C	5.00	4.75	4.50
$1\frac{1}{2}$ -1\frac{3}{4} in. C	$\boldsymbol{6.00}$	5.75	5.50
1 3/4 - 2 in. C	8.00	7.50	7.00
$2-2\frac{1}{2}$ in. C	11.00	10.00	9.00
$2\frac{1}{2}$ -3 in. C	14.00	13.00	12.00
2 ₇₂ -5 m. C	14.00	10.00	12.00
Wier. Cutleaf Weeping Maple8-10 ft	1.00	.95	.90
AESCULUS GLABRA—Buckeye—			
6-8 ft	2.50	2.25	2.00
$1\frac{1}{4}-1\frac{1}{2}$ in. C	3.50	3.25	3.00
$1\frac{1}{2}-1\frac{3}{4}$ in. C	4.00	3.75	3.50
· — · · ·			
$1\frac{3}{4} - 2$ in. C	4.50	4.25	4.00
$2-2\frac{1}{2}$ in. C	5.00	4.75	4.50
Hinnocogtonum Horgo Chogtnut 6-8 ft	3.50	3.25	3.00
Hippocastanum. Horse Chestnut6-8 ft	5.50	0.20	0.00
AILANTHUS GLANDULOSA—Tree of Heaven—			
4-6 ft	.80	.75	.70
6-8 ft	1.30	1.20	1.10
ALNUS INCANA—Speckled Alder—			
6-8 ft	2.50	2.25	2.00
BETULA—Birch—			
Lenta. Sweet or Black Birch6-8 ft	3.00	2.50	2.25
8-10 ft	4.00	3.50	3.25
Papyrifera. Canoe or Paper Birch8-10 ft	2.50	2.25	2.00
	0.00	A #P	0 -0
Alba Laciniata. Cutleaf Weeping Birch6-8 ft	3.00	2.75	2.50

		Each	10's rate	100's rate
CATALPA SPECIOSA—Western Ca				
	8-10 ft	1.00	.90	.80
	$1\frac{1}{2}$ -2 in. C	2.00	1.75	1.50
Daniel II. bush Gatalina	$2-2\frac{1}{2}$ in. C	2.50	2.25	2.00
Bungei. Umbrella Catalpa				
(not really hardy)	O reas boods	1.00	1 50	1.40
	2 year heads	1.60	1.50	1.40
OFT DIG II old bower	4 year heads	3.00	2.75	2.50
CELTIS—Hackberry—	C 0 4+	1.00	00	9.0
Occidentalis		$\frac{1.00}{1.50}$.90	.80
	8-19 ft	1.50	1.40	1.30
	$1\frac{1}{2}$ -2 in. C	3.00	2.75	2.50
CITY A ITH A VEICE TO THE AT	$2-2\frac{1}{2}$ in. C	4.00	3.75	3.50
CRATAEGUS—Hawthorn—	0.4.0			100.0
Coccinea. Thicket Thorn		.80	.75	.70
•	4-5 ft	1.20	1.10	1.00
	5-6 ft	2.00	1.80	1.60
	6-8 ft	3.00	2.75	2.5
Crusgalli. Cockspur Thorn	3-4 ft	1.00	.90	.80
Paul Double Scarlet Hawthorn	4-5 ft	2.00	1.80	1.6
Mollis. Downey Hawthorn	3-4 ft	1.00	.90	.80
FRAXINUS—Ash—				
Americana. White Ash		.80	.75	.70
	8-10 ft	$\boldsymbol{1.20}$	1.10	1.0
	$1\frac{1}{2}$ -2 in. C	2.50	2.25	2.0
	$2-2\frac{1}{2}$ in. C	4.00	3.75	3.5
	$2\frac{1}{2}$ -3 in. C	5.50	5.00	4.5
	$3-3\frac{1}{2}$ in. C	7.00	6.50	6.0
	$3\frac{1}{2}$ -4 in. C	8.50	8.00	7.5
	4-5 in. C	11.00	10.00	9.0
Lanceolata. Green Ash	6-8 ft	.80	.75	.7
	8-10 ft	1.20	1.10	1.0
	$1\frac{1}{2}$ -2 in. C	2.50	2.25	2.0
to the first of the second	$2-2\frac{1}{2}$ in. C	4.00	3.75	3.5
	$2\frac{1}{2}$ -3 in. C	$\bf 5.50$	5.00	4.5
	0.0.0	7 00	0.0	0
Quadrangulata. Blue Ash	6-8 it	1.00	.90	.8
	8-10 ft	1.50	1.40	1.3
	$1\frac{1}{4}$ - $1\frac{1}{2}$ in. C	2.50	2.25	2.0
CLEDYDCIA INIDATE Thompies I	Ionavlagust			
GLEDITSIA INERMIS—Thornless F		1.00	90	Q
	6-8 ft	1.00	.90	.8
	8-10 ft	1.50	1.40	1.3
,	$1\frac{1}{4} - 1\frac{1}{2}$ in C	2.00	1.90	1.8
	$1\frac{1}{2}$ - $1\frac{3}{4}$ in. C	3.00	2.75	2.5
	1¾-2 in. C	4.00	3.75	3.5
	$2-2\frac{1}{2}$ in. C	5.00	4.50	4.0
the section of the se	$2\frac{1}{2}$ -3 in. C	7.00	6.50^{\cdot}	6.0
	$3-3\frac{1}{2}$ in. C	9.00	8.50	8.0
JUGLANS—Cinera—Butternut—				
	$1\frac{1}{2}$ -2 in. C	3.00	2.75	2.5
	$2 - 2\frac{1}{2}$ in. C	4.00	3.75	3.5
	$2\frac{1}{2}$ in. C	6.00	5.50	5.0
	$3-3\frac{1}{2}$ in. C	8.00	7.50	7.0
·	/2			
Nigra. Black Walnut	6-8 ft	1.50	1.40	1.3
	8-10 ft	2.00	1.80	1.6
•	$1\frac{1}{2}$ -2 in C	3.50	3.25	3.0
	$\frac{1}{2}$ $\frac{1}{2}$ in. C	4.50	4.25	4.0
		6.00	5.50	5.0
	21/4-3 in C	43.4343	9 7 . 6 3 7 7	
	$2\frac{1}{2}$ -3 in C			
	$2\frac{1}{2}$ -3 in. C 3-3\frac{1}{2} in. C		7.50	7.0
- · · · - ·				

			10's	100's
		Each	rate	rate
LARIX EUROPAEUS—			1400	2000
European Larch	B&B6-8 ft	6.00	5.50	5.00
	8-10 ft	10.00	9.00	8.00
	10-12 ft	15.00	14.00	13.00
	12-15 ft	20.00	19.00	18.00
	15-18 ft	25.00	24.00	23.00
Leptolepis. Japanese Larch	B&R 6-8 ft	6.00	5.50	5.00
Deptotopis. Supariese Laten	8-10 ft	10.00	9.00	8.00
	10-12 ft	15.00	14.00	13.00
MALUS—Crab—			2200	20,00
Aldenhamensis	4-5 ft	1.10	1.00	.90
Arnoldiana—Semi-double pink		1.10	1.00	.90
Coronaria—Wild Sweet Crab		.80	.75	.70
Dolga	4-5 ft	1.10	1.00	.90
Eleyii (wine red flowers)		.80	.75	.70
Floribunda (deep pink) Parkmani—Double Pink Flowers		$\begin{array}{c} 1.10 \\ 1.10 \end{array}$	$\begin{array}{c} 1.00 \\ 1.00 \end{array}$.90 .90
Hopa (red flowers)		$1.10 \\ 1.40$	1.30	1.20
Bechtels (double pink)		1.10	1.00	.90
(doda20 p)	4-5 ft	1.40	1.30	1.20
Niedzwetzkyana (large red flower	s)4-5 ft	1.10	1.00	.90
Sargenti (dwarf white flowers)		.80	.75	.70
Scheideckeri (double pink)		.80	.75	.70
	4-5 ft	1.10	1.00	.90
Sieboldi	3-4 ft	.80	.75	.70
MORUS-Mulberry-				
Weeping Mulberry	2 years heads	2.50	2.25	2.00
Wooping Liansorry	4 years heads		3.25	3.00
DODITIES DOLLERANA				
POPULUS BOLLEANA—	6-8 ft	1.20	1.10	1.00
	8-10 ft	2.00	1.75	1.50
	10-12 ft	2.50		
			2.25	2.00
	$2-2\frac{1}{2}$ in. C	3.50	$\begin{array}{c} 2.25 \\ 3.25 \end{array}$	$\begin{array}{c} 2.00 \\ 3.00 \end{array}$
	$2-2\frac{1}{2}$ in. C $2\frac{1}{2}-3$ in. C		2.25 3.25 5.25	
	, , , ,	3.50	3.25	3.00 5.00 7.00
	$2\frac{1}{2}$ -3 in. C	$\begin{array}{c} 3.50 \\ 5.50 \end{array}$	$3.25 \\ 5.25$	$\begin{array}{c} 3.00 \\ 5.00 \end{array}$
POPULUS CAROLINA—	$2\frac{1}{2}$ -3 in. C 3-3\frac{1}{2} in. C	3.50 5.50 7.50	3.25 5.25 7.25	3.00 5.00 7.00
POPULUS CAROLINA—	$2\frac{1}{2}$ -3 in. C $3-3\frac{1}{2}$ in. C $3\frac{1}{2}-4$ in. C	3.50 5.50 7.50 10.00	3.25 5.25 7.25 9.50	3.00 5.00 7.00 9.00
POPULUS CAROLINA—	$2\frac{1}{2}$ -3 in. C 3-3\frac{1}{2} in. C	3.50 5.50 7.50	3.25 5.25 7.25	3.00 5.00 7.00
POPULUS CAROLINA—	$2\frac{1}{2}$ -3 in. C $3-3\frac{1}{2}$ in. C $3\frac{1}{2}$ -4 in. C $6-8$ ft	3.50 5.50 7.50 10.00	3.25 5.25 7.25 9.50	3.00 5.00 7.00 9.00
POPULUS CAROLINA—	$2\frac{1}{2}$ -3 in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30	3.25 5.25 7.25 9.50 .40 .70 .90 1.20	3.00 5.00 7.00 9.00 .35 .65 .80 1.10
POPULUS CAROLINA—	$2\frac{1}{2}$ -3 in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30 2.50	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40	3.00 5.00 7.00 9.00 35 .65 .80 1.10 2.30
POPULUS CAROLINA—	$2\frac{1}{2}$ -3 in. C	3.50 5.50 7.50 10.00 .75 1.00 1.30 2.50 4.00	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75	3.00 5.00 7.00 9.00 35 .65 .80 1.10 2.30 3.50
POPULUS CAROLINA—	$2\frac{1}{2}$ -3 in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30 2.50 4.00 5.00	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75 4.75	3.00 5.00 7.00 9.00 3.5 .65 .80 1.10 2.30 3.50 4.50
POPULUS CAROLINA—	$2\frac{1}{2}$ -3 in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30 2.50 4.00 5.00 6.50	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75 4.75 6.25	3.00 5.00 7.00 9.00 3.5 .65 .80 1.10 2.30 3.50 4.50 6.00
,	$2\frac{1}{2}$ -3 in. C	3.50 5.50 7.50 10.00 $.50$ $.75$ 1.00 1.30 2.50 4.00 5.00 6.50 8.00	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75 4.75 6.25 7.50	3.00 5.00 7.00 9.00 .35 .65 .80 1.10 2.30 3.50 4.50 6.00 7.00
POPULUS CAROLINA— Lombardy	$2\frac{1}{2}$ -3 in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30 2.50 4.00 5.00 6.50 8.00 .60	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75 4.75 6.25 7.50 .55	3.00 5.00 7.00 9.00 .35 .65 .80 1.10 2.30 3.50 4.50 6.00 7.00
,	$2\frac{1}{2}-3$ in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30 2.50 4.00 5.00 6.50 8.00 .60 .80	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75 4.75 6.25 7.50 .55 .75	3.00 5.00 7.00 9.00 .35 .65 .80 1.10 2.30 3.50 4.50 6.00 7.00 .50
,	$2\frac{1}{2}$ -3 in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30 2.50 4.00 5.00 6.50 8.00 .60	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75 4.75 6.25 7.50 .55	3.00 5.00 7.00 9.00 .35 .65 .80 1.10 2.30 3.50 4.50 6.00 7.00
Lombardy	$2\frac{1}{2}-3$ in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30 2.50 4.00 5.00 6.50 8.00 .60 .80	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75 4.75 6.25 7.50 .55 .75	3.00 5.00 7.00 9.00 .35 .65 .80 1.10 2.30 3.50 4.50 6.00 7.00 .50
,	$2\frac{1}{2}-3$ in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30 2.50 4.00 5.00 6.50 8.00 .60 .80 1.10 1.00 1.80	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75 4.75 6.25 7.50 .55 .75 1.00 .90 1.70	3.00 5.00 7.00 9.00 .35 .65 .80 1.10 2.30 3.50 4.50 6.00 7.00 .50 .70 .90 .80 1.60
Lombardy	$2\frac{1}{2}-3$ in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30 2.50 4.00 5.00 6.50 8.00 .60 .80 1.10 1.80 2.50	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75 4.75 6.25 7.50 .55 .75 1.00 .90 1.70 2.30	3.00 5.00 7.00 9.00 .35 .65 .80 1.10 2.30 3.50 4.50 6.00 7.00 .50 .70 .90 .80 1.60 2.20
Lombardy	$2\frac{1}{2}-3$ in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30 2.50 4.00 5.00 6.50 8.00 .60 .80 1.10 1.00 1.80	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75 4.75 6.25 7.50 .55 .75 1.00 .90 1.70	3.00 5.00 7.00 9.00 .35 .65 .80 1.10 2.30 3.50 4.50 6.00 7.00 .50 .70 .90 .80 1.60
Lombardy	$2\frac{1}{2}-3$ in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30 2.50 4.00 5.00 6.50 8.00 .60 .80 1.10 1.80 2.50	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75 4.75 6.25 7.50 .55 .75 1.00 .90 1.70 2.30	3.00 5.00 7.00 9.00 .35 .65 .80 1.10 2.30 3.50 4.50 6.00 7.00 .50 .70 .90 .80 1.60 2.20
Lombardy	$2\frac{1}{2}-3$ in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30 2.50 4.00 5.00 6.50 8.00 .60 .80 1.10 1.80 2.50 3.50	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75 4.75 6.25 7.50 .55 .75 1.00 .90 1.70 2.30 3.25	3.00 5.00 7.00 9.00 .35 .65 .80 1.10 2.30 3.50 4.50 6.00 7.00 .50 .70 .90 .80 1.60 2.20 3.00
Lombardy	$2\frac{1}{2}-3$ in. C	3.50 5.50 7.50 10.00 .50 .75 1.00 1.30 2.50 4.00 5.00 6.50 8.00 .60 .80 1.10 1.80 2.50 3.50	3.25 5.25 7.25 9.50 .40 .70 .90 1.20 2.40 3.75 4.75 6.25 7.50 .55 .75 1.00 .90 1.70 2.30 3.25	3.00 5.00 7.00 9.00 .35 .65 .80 1.10 2.30 3.50 4.50 6.00 7.00 .50 .70 .90 .80 1.60 2.20 3.00

	Each	10's rate	100's rate
Newport. Purple Leaved Plum3-4 ft 4-5 ft 5-6 ft	.75 1.00 1.50	.70 .90 1.40	.65 .85 1.30
Pennsylvanica. Wild Red Cherry $3-3\frac{1}{2}$ in C $3\frac{1}{2}-4$ in C	$\begin{array}{c} 9.00 \\ 11.00 \end{array}$	8.00 10.00	7.00 9.00
Serotine. Wild Black Cherry 6-8 ft 8-10 ft	1.50 2.50	1.40 2.40	1.30 2.30
Virginiana. Chokeberry5-6 ft	1.50	1.40	1.30
Robinia Pseudoacacia. Black Locust seld2-3 ft	.10	.07	.05
SALIX—Willow— Caprea. Goat Willow4-5 ft 5-6 ft	.50 .60	.45 .55	.40 .50
6-8 ft	.80	.75	.70
Pentandra. Laurel Leaf3-4 ft4-5 ft	.35 .50	.30 .45	.40 .40
5-6 ft	.65	.60	.55
Russian Golden6-8 ft	.80	.75	.70
Britzensis. Bronze Goldlen4-5 ft	.50	.45	.40
5-6 ft 6-8 ft	.65 .80	.60 $.75$.55 .70
Wisconsin Weeping 6-8 ft. 6-8 ft.	1.10	1.00	.90
Niobe Golden Weeping6-8 ft	1.30	1.20	1.10
SORBUS—Mountain Ash—		•	
8-10 ft	2.00	1.75	1.50
Aucuparia. European Mountain Ash. 1½-2 in. C	3.00	2.50	2.00
$2-2\frac{1}{2}$ in. C	4.00	3.75 5.50	3.50
$2\frac{1}{2}$ -3 in. C 3-3 $\frac{1}{2}$ in. C	$\begin{array}{c} \textbf{6.00} \\ \textbf{8.00} \end{array}$	$\begin{array}{c} 5.50 \\ 7.50 \end{array}$	$\begin{array}{c} 5.00 \\ 7.00 \end{array}$
$3\frac{1}{2}$ -4 in. C	10.00	9.00	8.00
TILIA—Linden—			
American Linden. Basswood8-10 ft	2.50	2.25	2.00
$1\frac{1}{2}$ -2 in. C 2-2\frac{1}{2} in. C	$\begin{array}{c} 3.50 \\ 5.00 \end{array}$	$\begin{array}{c} 3.25 \\ 4.50 \end{array}$	$\begin{array}{c} 3.00 \\ 4.00 \end{array}$
$2\frac{1}{2}$ -3 in. C	7.00	6.50	6.00
3-3½ in. C	$\boldsymbol{9.00}$	8.50	8.00
ULMUS—Elm— Americana. White Elm8-10 ft	.80	.75	.70
$1\frac{1}{2}-1\frac{1}{4}$ in. C	1.50	1.40	1.30
$1\frac{1}{2}-1\frac{3}{4}$ in. C	2.00	1.90	1.80
1 ³ / ₄ -2 in. C	2.50	2.40	2.30
$2-2\frac{1}{2}$ in. C	$\begin{array}{c} 3.50 \\ 5.00 \end{array}$	$\begin{array}{c} 3.40 \\ 4.75 \end{array}$	$\begin{array}{c} 3.30 \\ 4.50 \end{array}$
$3-3\frac{1}{2}$ in. C	6.50	6.25	6.00
$3\frac{1}{2}$ -4 in. C	9.00	8.50	8.00
4-5 in. C	14.00	13.00	12.00
Moline Elm6-8 ft	.80	.75	.70
8-10 ft	1.20	1.10	1.00
. 11/_11/_m ('		4 00	
$1\frac{1}{4}-1\frac{1}{2}$ in. C	1.70	$\begin{array}{c} 1.60 \\ 2.10 \end{array}$	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$
$1\frac{1}{2}-1\frac{3}{4}$ in. C		$egin{array}{c} 1.60 \ 2.10 \ 2.80 \end{array}$	$egin{array}{c} 1.50 \\ 2.00 \\ 2.60 \\ \end{array}$
	$\begin{array}{c} 1.70 \\ 2.25 \end{array}$	2.10	2.00

	•	Each	rate 10's	rate 100's
Parvifolia. Chinese Eli	n6-8 ft 8-10 ft	.80 1.20	.75 1.10	.70 1.00
Vase Elm	$\begin{array}{cccccccccccccccccccccccccccccccccccc$.80 1.20 1.70 2.25 3.00 4.00 6.00 8.00	.75 1.10 1.60 2.10 2.80 3.75 5.50 7.50	.70 1.00 1.50 2.00 2.60 3.50 5.00 7.00
.	EVERGREENS			
ABIES Balsam	$1\frac{1}{2}$ -2 ft	2.25 2.80 3.25 4.00	2.00 2.60 3.15 3.75	1.75 2.50 3.00 3.50
	3½-4 ft 4-5 ft 5-6 ft	5.00 6.50 8.00	4.75 6.00 7.50	4.50 5.50 7.00
Concolor. White Fir	$1\frac{1}{2}$ -2 ft	5.00 6.00 8.00 11.00 15.00	4.75 5.50 7.50 10.50 14.00	$egin{array}{c} 4.50 \\ 5.00 \\ 7.00 \\ 10.00 \\ 13.00 \\ \end{array}$
HINIDED CHINENETS	4-5 ft 5-6 ft 6-8 ft 8-10 ft	20.00 27.00 35.00 45.00	19.00 26.00 34.00 44.00	18.00 25.00 33.00 43.00
JUNIPER CHINENSIS—	3-3½ ft 3½-4 ft 4-5 ft 5-6 ft 6-8 ft	3.00 4.00 5.50 7.50 10.00	2.80 3.80 5.25 7.00 9.50	2.70 3.70 5.00 6.50 9.00
Chinensis Pfitzeriana S	Spreading	2.70 4.00 5.25 6.50 8.00	2.60 3.75 5.00 6.25 7.50	2.50 3.50 4.75 6.00 7.00
Chinensis Pfitzeriana U	4-5 ft	10.00 5.25 6.50 8.00 10.00	9.50 5.00 6.25 7.50 9.50	9.00 4.75 6.00 7.00 9.00
Chinensis Pyramid Blue	2-5 ft	8.00 10.00 12.00 15.00	7.50 9.50 11.00 14.00	7.00 9.00 10.00 13.00
Communis Depressa.	Prostrate $1-1\frac{1}{2}$ ft. $1\frac{1}{2}-2$ ft. $2-2\frac{1}{2}$ ft. $2\frac{1}{2}-3$ ft. $3-3\frac{1}{2}$ ft. 3	2.00 2.50 3.50 4.50 5.50	1.90 2.40 3.25 4.25 5.25	1.80 2.30 3.00 4.00 5.00
Communis Depressa Plu Juniper	imosa. Andorra	3.00 4.00	2.75 3.75	2.50 3.50

			10 's	100 's
		Each	rate	rate
Communis Suecica. Swedish Juniper21/2-3	ft	4.00	3.75	3.50
• '-	f t	5.00	4.75	4.50
	ft	6.00	5.75	5.50
	ft	8.00	7.50	7.00
Excelsa Stricta. Spiny Greek Juniper11/2-2	ft	4.00	3.75	3.50
- · · · · · · · · · · · · · · · · · · ·	ft	5.00	4.75	4.50
, -	f t	6.50	6.25	6.00
	ft	8.00	7.50	7.00
Horizontalis. Waukegan Juniper1-11/2	ft	2.50	2.25	2.00
	ft	3.50	3.25	3.00
Sabina. Savin Juniper1-1½	ft.	2.00	1.90	1.80
	ft	3.00	2.90	2.80
· -	f t	4.00	3.75	3.50
· -	ft	6.00	5.75	5.50 5.50
Sabina. Horizontalis. Bar Harbor	10	0.00	9.19	0.00
Juniper1-1 $\frac{1}{2}$		2.25	2.10	2.00
(formerly Juniper Procumbens) $1\frac{1}{2}-2$	ft	3.25	3.10	3.00
$2-2\frac{1}{2}$	ft	4.50	4.25	4.00
2½-3	ft	6.00	5.75	5.50
Scorpulorum. Colorado Juniper3-31/2	ft	5.00	4.75	4.50
~	ft	6.50	6.25	6.00
•	ft	7.50	7.25	7.00
Squamata Meyeri1-1½	ft.	5.00	4.75	4.50
	ft	6.50	6.25	6.00
Virginiana. Red Cedar2½-3	£t	2.40	2.30	2.20
·-				
• –	ft	3.20	3.00	2.80
·-	ft	4.20	4.00	3.80
	ft	5.50	5.25	5.00
	ft ft	$\begin{array}{c} \textbf{7.00} \\ \textbf{10.00} \end{array}$	$\begin{array}{c} \textbf{6.50} \\ \textbf{9.50} \end{array}$	$\begin{array}{c} 6.00 \\ 9.00 \end{array}$
Virginiana Cannarti3½-4		7.00	6.50 8.50	6.00
	ft	9.00	8.50	8.00
	ft	11.00	10.50	10.00
6-8	ft	15.00	14.50	14.00
Virginiana Glauca. Silver Red Cedar3-3½		7.00	6.50	6.00
	ft	9.00	8.50	8.00
	ft	11.00	10.50	10.00
	ft	14.00	13.50	13.00
6-8	ft	18.00	17.00	16.00
Virginiana Pyramid Hilli4-5	ft	11.00	10.50	10.00
Virginiana Schotti3-3½	ft	5.00	4.75	4.50
3½4	ft	7.00	6.50	6.00
4-5	f t	$\boldsymbol{9.00}$	8.50	8.00
PICEA—Spruce—	££	1 00	00	00
Canadensis. White Spruce $1\frac{1}{2}-2$		1.00	.90	.80
	ft	$\begin{array}{c} 1.50 \\ 2.20 \end{array}$	1.40	1.30
	ft	2.20	$\begin{array}{c} 2.10 \\ 2.00 \end{array}$	2.00
· · · · · · · · · · · · · · · · · · ·	ft	3.00	2.90	2.80
· · ·	ft	4.00 5.00	3.90 4.75	3.80 4.50
	ft	5.00 7.50	4.75	4.50 6.50
	ft	7.50	7.00	6.50
	ft	10.00	9.50	9.00
8-10	ft	13.00	12.50	12.00

		Each	10's rate	100's rate
	Canadensis Albertiana. Black Hill	Bach	Tate	Tacc
	Spruce	1.20	1.10	1.00
	2-2½ ft	2.00	1.90	1.80
	2½-3 ft		2.60	
	. –	2.70		2.50
	$3-3\frac{1}{2}$ -ft	4.00	3.90	3.80
	3½-4 ft	5.00	4.75	4.50
	4-5 ft	7.50	7.25	7.00
	5-6 ft	10.00	$\boldsymbol{9.50}$	$\boldsymbol{9.00}$
	6-8 ft	13.00	12.00	11.00
	8-10 ft	18.00	17.00	16.00
	Excelsa. Norway Spruce2-2½ ft	1.75	1.60	1.50
	2½-3 ft	$\boldsymbol{1.25}$	1.15	1.00
	3-3½ ft	2.50	2.25	2.00
		3.00	2.80	2.60
	3½-4 ft			
	4-5 ft	4.00	3.75	3.50
	5-6 ft	5.00	4.75	4.50
	6-8 ft	8.00	7.50	7.00
	8-10 ft	13.00	12.00	11.00
	10-12 ft	20.00	19.00	18.00
	Pungens. Colorado Green Spruce2-2½ ft	2.75	2.50	2.25
	2½-3 ft	3.50	3.25	3.00
	3-3½ ft	4.50	4.25	4.00
	$3\frac{1}{2}$ -4 ft	6.00	5.75	5.50
	4-5 ft	8.00	7.50	7.00
	5-6 ft	11.00	10.50	10.00
	6-8 ft	15.00	14.00	13.00
	Pungens Glauca. Colorado Blue Spruce1½-2 ft	5.00	4.75	4.50
	2-2½ ft	$\boldsymbol{6.50}$	$\boldsymbol{6.25}$	6.00
	2½-3 ft	9.00	8.50	8.00
	· -		10.50	10.00
	3-3½ ft	11.00		
	$3\frac{1}{2}$ -4 ft	15.00	14.00	13.00
	4-5 ft	20.00	19.00	18.00
	5-6 ft	25.00	24.00	23.00
	6-8 ft	30.00	28.00	26.00
DI	8-10 ft	40.00	38.00	36.00
FI	NUS—Pine— Nucho Pine	9.00	1.90	1.60
	Mugho Pine1-1½ ft	2.00	1.80	1.60
	1½-2 ft	3.50	3.25	3.00
	2-2½ ft	$\bf 5.00$	4.75	4.50
	$2\frac{1}{2}$ -3 ft	7.50	7.25	7.00
	$3-3\frac{1}{2}$ ft	9.00	8.50	8.00
	$3\frac{1}{2}-4$ ft	11.00	10.50	10.00
	Nigra. Austrian Pine2½-3 ft	3.00	2.90	2.80
	3-3½ ft	4.00	3.90	3.80
	· -			
	3½-4 ft	5.00	4.75	4.50
	4-5 ft	7.00	6.75	6.50
	5-6 ft	$\boldsymbol{9.00}$	8.50	8.00
	6-8 ft	14.00	13.00	12.00
. ?	Ponderosa. Western Yellow Pine3½-4 ft	5.00	4.75	4.50
	4-5 ft	7.00	6.75	650
	5-6 ft	9.00	8.50	8.00
	6-8 ft	14.00	13.00	12.00
	Resinosa. Red or Norway Pine	3.50	3.25	3.00
	4-5 ft	6.00	5.50	5.00
	5-6 ft	7.50	7.00	6.50
		9.00		8.00
	6-8 ft	9.00	8.50	0.00

				10 's	100's
			Each	rate	rate
			130011	1400	1400
Strobus. White Pine	$3-3\frac{1}{2}$	f t	2.70	2.60	2.50
	$3\frac{1}{2}-4$	ft	3.50	3.25	3.00
		ft	$\bf 5.00$	4.75	4.50
	5-6	ft	7.00	6.50	6.00
		ft	10.00	9.50	9.00
		ft	15.00	14.00	13.00
	0-10	10	10.00	1.1.00	10.00
Sylvestris. Scotch Pine	31/2-4	ft	3.50	3.25	3.00
		ft	5.00	4.75	4.50
		ft	6.50	6.25	6.00
		ft	9.00	8.50	8.00
		ft	12.00	11.50	11.00
	10-12	ft	17.00	16.00	15.00
DEFUDOTSUCA DOUGLASIDouglas F	ir				
PSEUDOTSUGA DOUGLASI—Douglas F		ft	2.00	1.90	1.80
					2.50
		ft	2.75	2.60	
		ft	3.50	3.30	3.20
		ft	4.50	4.25	4.00
		ft	$\boldsymbol{6.00}$	5.75	5.50
	5-6	f t	8.00	7.50	7.00
	6-8	ft	10.00	9.50	9.00
	8-10	ft	18.00	17.00	16.00
TAXUS—Yew—					
Canadensis	1-11/2	ft	3.00	2.50	2.00
	$1\frac{1}{2}-2$	ft	5.00	4.50	4.00
·	$2 - 2\frac{1}{2}$	ft	$\boldsymbol{6.00}$	$\bf 5.50$	5.00
	, –				
Cuspidata, Japanese Yew	1-11/2	ft	3.25	3.00	2.75
(Bush Form)	$1\frac{1}{2}-2$	ft	5.50	5.25	5.00
		ft	$\boldsymbol{6.50}$	$\boldsymbol{6.25}$	6.00
		ft	10.00	9.75	$\boldsymbol{9.50}$
					0.00
Cuspidata.			$\boldsymbol{6.50}$	$\boldsymbol{6.25}$	6.00
(Upright Form)		ft	10.00	$\boldsymbol{9.75}$	9.50
	$3 \text{-} 3 \frac{1}{2}$	f t	15.00	14.00	13.00
Dwarf Jananaga Vous	19 15	in	4.00	9 75	250
Dwarf Japanese Yew			4.00	3.75	3.50
		in	6.00	5.50	5.00
MATTINA A.L	18-24	in	8.00	7.50	7.00
THUJA—Arborvitae—	0.01/	C1	9.00	1.00	1.00
Occidentalis. American Arborvitae	. —		2.00	1.90	1.80
		ft	3.00	2.90	2.80
		ft	4.00	3.80	3.60
	5-6	ft	$\bf 5.50$	5.25	5.00
	6-7	f t	7.50	7.00	$\boldsymbol{6.50}$
	7-8	ft	9.00	8.50	8.00
	8-9	ft	13.00	12.00	11.00
Ossidentalia Olahama Olaha Autau Ha		£+	0.00	1 PH P	1 50
Occidentalis Globosa. Globe Arborvitae			2.00	1.75	1.50
	· -	ft	2.50	2.25	2.00
	$2-2\frac{1}{2}$	ft	3.50	3.25	3.00
Occidentalis Lutea. Golden Arborvitae	2-21/	ft	4.00	3.50	3.00
Goodgeneans Butca. Golden Arborvitae.		ft	5.00	$\begin{array}{c} 3.50 \\ 4.50 \end{array}$	4.00
					.24
		ft	7.00	6.50	6.00
Ossidantalia Dynamidalia Dynamid	ა ½-4	ft	9.00	8.50	8.00
Occidentalis Pyramidalis. Pyramid	11/ 9	£+	1 90	1.10	1 00
Arborvitae			1.20		1.00
		ft	1.70	1.60	1.50
	, -	ft	2.25	2.10	2.00
	$3 - 3\frac{1}{2}$	ft	3.25	3.00	2.75

t .	Each	10's rate	100's rate
Occidentalis Pyramidalis. Pyramid			
Arborvitae	$\begin{array}{c} 4.50 \\ 7.00 \end{array}$	$\begin{array}{c} 4.25 \\ 6.50 \end{array}$	$\begin{array}{c} 4.00 \\ 6.00 \end{array}$
5-6 ft	$\begin{array}{c} 1.00 \\ 9.00 \end{array}$	8.50	8.00
6-7 ft	12.00	11.50	11.00
7-8 ft	14.00	13.00	12.00
Occidentalis Wareana. Siberian Arborvitae1-1½ ft	1.50	1.25	1.00
1½-2 ft	2.50	2.25	2.00
$2-2\frac{1}{2}$ ft	3.00	2.75	2.50
$2\frac{1}{2}$ -3 ft	3.50	3.25	3.00
TSUGA CANADENSIS—Canada Hemlock—			
$1\frac{1}{2}$ -2 ft	$\frac{3.00}{4.00}$	$\begin{array}{c} 2.80 \\ 3.75 \end{array}$	$\begin{array}{c} 2.60 \\ 3.50 \end{array}$
$2-2\frac{1}{2}$ ft $2\frac{1}{2}-3$ ft	5.00	4.50	4.25
$3-3\frac{1}{2}$ ft	6.50	6.25	6.00
CHDITE			
SHRUBS ACANTHOPANAX Pentaphyllum2-3 ft	.40	.35	.30
ARALIA Pentaphyllum 3-4 ft. 4-5 ft.	.60 .80	.50 .70	.40 .60
ACER Ginnala. Amur Maple2-3 ft	$\begin{array}{c} .70 \\ 1.00 \end{array}$.60 .90	.50 .80
6-8 ft	$\begin{array}{c} 1.00 \\ 3.50 \end{array}$	3.40	3.30
AMELANCHIER Canadensis. Juneberry2-3 ft	.60	.55	.45
AMORPHA Fruiticosa3-4 ft	.60	.50	.40
ARAITA Spinosa Davila Walkingsitek 2 4 ft	.90	.80	.70
ARALIA Spinosa. Devils Walkingsitck3-4 ft4-5 ft	$\begin{array}{c} .50 \\ 1.10 \end{array}$	1.00	.90
ARONIA Arbutifolia2-3 ft	.80	.70	.60
ARONIA Melanocarpa 2-3 ft. 3-4 ft	.70 .90	$.60\\.80$.50 .70
	.50	.40	.30
BERBERIS Atropurpurea. Purple Barberry1½-2 ft 2-2½ ft	.70	.60	.50
BERBERIS Thunbergi. Japanese Barberry1-1½ ft	.30	.25	.20
1½-2 ft	.35	.30	.25
$2-\overline{2}\frac{1}{2}$ ft	.50	.40	.30
BUDDLIA. Butterflybush2-3 ft	.50	.45	.40
CALYCANTHUS Floridus. Sweet Shrub1½-2 ft	.35	.30	.25
2-3 ft	.50	.40	.30
CARAGANA Arborescens. Siberian Pea Tree 3-4 ft	.40	.35	.30
4-5 ft	.60	.50	.40
CORNUS Alternifolia3-4.ft.	.60	.55	.50
4-5 ft	.80	.70	.60
CORNUS Amomum4-5 ft4-5	.75	.65	.60
CORNUS Coral Siberian Dogwood2-3 ft2	.35	.30	.25
3-4 ft	.45	.40	.35
CORNUS Goldentwig Dogwood2-3 ft.,	.40	.35	.30
3-4 ft	.50	.45	.40
CORNUS Mascula. Cornelian Cherry2-3 ft2	.80	.70	.65
CORNUS Paniculata. Grey Dogwood3-4 ft	.60	.50	.45

		Each	10's rate	100's rate
CORNUS Sanquinea3-4	ft	.60	.50	.45
CORNUS Stolonifera 2-3		.50 .60	.40 .50	.35 .45
CORYLUS Americana. Hazelnut2-3	ft	.70	.60	.55
COTONEASTER Acutifolia 2-3 3-4	ft	.50 .60	.40 .50	.35 .45
CYDONICA Japonica. Japan Quince2-3	ft	.50	.40	.35
DAPHNE Cneorum. Garland FlowerB&B12-15	in	2.25	2.00	1.90
DEUTZIA Gracilis. Slender Deutzia	ft	.60	.50	.40
	ft ft ft	.70 .85 1.20	.60 .75 1.10	.55 .70 1.00
ELAEAGNUS Argentea. Silverberry Olive2-3 3-4	ft ft	.50 .60	.40 .50	.35 .45
EUONYMOUS Alatus. Winged Euonymous2-3 3-4	ft ft	$\begin{array}{c} .80 \\ 1.10 \end{array}$	$\begin{matrix} .75 \\ 1.00 \end{matrix}$.70 .90
	ft ft ft	.60 .70 .80	.50 .60 .70	.45 .55 .65
4-5	ft ft ft	.60 .70 .80 1.10	.50 .60 .70 1.00	.45 .55 .65
FORSYTHIA Intermedia	ft ft	.45 .60	.40 .50	.35 .40
FORSYTHIA Fortunei	ft ft	.50 .70	.40 .60	.35 .50
HAMAMELIS Virginica. Witch-hazel2-3	ft	.80	.70	.65
HYDRANGEA Arborescens. Snowhill 2-3	ft	.50	.40	.35
HYDRANGEA Peegee. Large Flowering2-3	ft	.50	.40	.35
HYDRANGEA Peegee. Tree Form3-4	ft	1.50	1.40	1.30
KOLKWITZIA Amabilis2-3	ft	.80	.70	.65
2-3	ft ft ft ft	.12 .18 .25 .30	.10 .15 .20 .25	.08 .10 .16 .22
LIGUSTRUM Regelspreading1½-2	ft	.40	.35	.30
	ft ft	.40 .50 .60	.30 .40 .50	.25 .35 .45
Morrowi, yellow berried2-3 3-4	ft ft	.40 .50	.30 .40	.25 .35
Tartarica Alba3-4 4-5	ft ft	.50 .60	.40 .50	.35 .45

			Each	10's	100's
Tartarica Grandiflora (Bride Honey-			Lach	rate	rate
suckle)		R ft	.40	.30	.25
		ft		.40	.25 .35
		5 ft	.60	.50	.45
	1-0	10	•00	.90	.40
White Belle (Bella Albida)	3-4	ft	.50	.40	.35
	4-5	5 ft	.60	.50	.45
	5-6	s ft	.80	.70	.65
West and see (TI) YY					
Xylosteum (Fly Honeysuckle)				.35	.30
		ł ft	.50	.40	.35
	4-5	5 ft	.60	.55	.50
PHILADELPHUS Avalanche	2 4	£Ł	CO	~ »	~ 0
Availanche				.55	.50
	4-0	ft	.80	.75	.70
PHILADELPHUS Coronarius	2-3	t ft	.40	.35	.30
		ft		.40	
		ft	.70		.35
			. 10	.60	.50
PHILADELPHUS Dwarf Golden	18-24	in	.60	.50	.45
DIVIN A DATE WATER OF A CO.		0.1			
PHILADELPHUS Dwarf Sweet				.35	.30
	$1\frac{1}{2}-2$	ft	.60	.50	.45
PHILADELPHUS Grandiflorus	2_1	£ŧ	.50	40	9 %
THILADELI HUS Grandinorus		ft	.30 .70	.40	.35
		ft	1.00	.60	.50
	5-0	1 (1.00	.90	.80
PHILADELPHUS Lemoine	2-3	ft	.40	.35	.30
		ft		.50	.40
	0 1	10	•00	•00	.10
PHILADELPHUS Virginal	2-3	ft	.60	.50	.45
		ft		.60	.55
PHYSOCARPOS—Ninebark	3-4	ft	.50	.40	.35
Opulifolius	4 5	£+	70	CO	50
Opunionus	4-0	16	.70	.60	.50
PHYSOCAPPOS Aures (Colden Spires					
PHYSOCARPOS Aurea (Golden Spirea Ninebark)	9.9	££	.40	.35	20
nmedark)	9 1	ft		.40	.30
	9-4	16	.50	.40	.35
POTENTILLA Fruiticosa	1-11/2	ft	.60	.50	.45
	- / -		• • • • • • • • • • • • • • • • • • • •	•00	
PRUNUS—Plum—					
Americana	4-6	ft	.70	.60	.55
Glandulosa Flowering Almond Pink			.90	.80	.75
Glandulosa Flowering Almond White			.90	.80	.75
Newport Purple Leaf Plum			.90	.80	.75
		ft	1.25	1.10	1.00
		ft	1.50	1.40	1.35
				- • - •	
Tomentosa. Nanking Cherry	3-4	ft	.90	.80	.75
	4-5	ft	1.25	1.10	1.00
Triloha Daubla Flourating Plum	2_1	ft	.90	.80	.75
Triloba—Double Flowering Plum	5 -4	1 t	.00	10 U	. 10
RHAMNUS—Buckthorn—					
Cathartica	3-4	ft	.40	.35	.30
Frangula—Glossy Buckthorn			.40	.35	.30
·		ft	.60	.50	.40
	5-6	ft	.80	.70	.60
		ft	1.25	1.00	.90
	_				

			Each	10's rate	100's rate
RHODOTYPOS Kerroides—Jetbead		ft ft	.35 $.50$.30 .40	.25 .30
RHUS—Sumac—	11/ 0	£L	CO	~0	45
Canadensis. Fragrant Sumac		ft	.60 .80	.50 .70	.45 .65
Glabra. Smooth Sumac			.60	.50	.40
Typhina Laciniata. Cutleaf Suma	c 3-4	ft	.60	.50	.40
Typhina Laciniaca. Cathar Same	4-5	ft	.80	.70	.60
	10.10		00	~0	4~
RIBES—Currant. Alpine				.50	.45
	18-24	in	.80	.70	.60
SALIX—Willow. Incana	3-4	ft	.50	.40	.30
SAMBUCUS—Elder—					
Canadensis. American Elder		•	.35	.30	.25
		ft	.50	.40	.30
Golden. European Elder			.50	.40	.30
		ft	.70	.60	.50
Cutleaf. European Elder			.60	.50	.40
Cutleaf Redberried Elder			1.00	.90	.80
Racemosa. Redberried Elder	3-4	1t	.90	.80	.70
SHEPHERDIA—Buffaloberry—					
Argentea. Silver Buffalo Berry	3-4	ft	.80	.75	.70
SORBARIA-False Spirea. Sorbifolia	2-3	ft	.40	.35	.30
o de la companya de l		ft	.60	.50	.40
SPIREA—					
Anthnoy Waterer. Dwarf, red	$1\frac{1}{2}-2$	ft	.50	.40	.30
Billiard. Rose Pink Panicles	2-3	ft	.50	.40	.30
		ft	.60	.50	.40
Douglasi. Rose Pink Spikes			.60	.50	.40
Froebel. Flat Panicles Rose Pink.			.40	.30	.25
Japonica. White Panicles	$1-1\frac{1}{2}$	ft	.40	.30	.25
		ft	.50	.40	.35
Thunbergi. Early Dwarf White.	2-3	ft	.50	.45	.40
Trichocarpa—Korean Spirea	2-3	tt	.60	.50	.45
Vanhoutte—Bridalwreath	2-3	Tt	.30	.25	.20
	_	ft	.40	.30	.25
		ft	.50 .75	.40 .65	.35 .60
		ft	1.00	.90	.80
75.11	D&D 4-0	10	1.00	.00	•00
SYMPHORICARPOS—Mollis—	9.9	f+	.35	.30	.25
Snowberry	2-3 2_1	ft	.40	.35	.30
	2-4	10	•10	.00	.00
Vulgaris—Coralberry	11/2-2	ft	.25	.20	.18
, and an	2 - $2\frac{1}{2}$	ft	.30	.28	.25
CALLEST CALL AND					
SYRINGA—Lilac— Chinensis	2-3	ft	.50	.40	.35
Cninensis	3-4	ft	.60	.50	.45
	_				
Japonica. Japanese Tree Lilac	2-3	ft	.70	.60	.50
-	3-4	: ft	.90	.80	.70
	4-5	ft	1.10	1.00	.90
Josikaea. Hungarian Lilac	3 /	l-ft	.90	.80	.70
Josikaea. Hungarian Lilac	4-5	ft	1.10	1.00	.90
Persica. Persian Lilac	2-3	ft	.50	.40	.35
	3-4	ft	.60	.50	.45

			Each	10's rate	100's rate
Villosa. Late Lilac	3-4	ft ft	.40 .60 .80	.35 .50 .70	.30 .45 .65
Vulgaris. Common Purple	3-4	ft ft ft	.40 .60 .80	.35 .50 .70	.30 .45 .65
Vulgaris SelectedB&B B&B	3-4 4-5	ft ft	$\begin{matrix} .90 \\ 1.25 \end{matrix}$.80 1.10	$\begin{matrix} .75 \\ 1.00 \end{matrix}$
Common White	2-3 3-4	ft ft	.50 .75	.40 .65	.35 .60
Horticultural Varieties	3-4	ft ft ft	.90 1.10 1.80	0.80 1.00 1.70	.75 .90 1.60
Belle de Nancy—Double Rose Charles the Tenth—Single Reddish Pu Charles Joly—Double Dark Purplish I Hugo Koster—Single Soft Lilac La Tour de Auvergne—Double Purpl Ludwig Spaeth—Single Dark Red Marie LeGreye—Single White Mme. Abel Chatney—Double White Mme. Lemoine—Double White Pres. Grevy—Double Light Blue Red Marly—Single Rosy Purple	Red				
TAMARIX 'Africana		ft	.50 .60	.45 .50	.40 .45
TAMARIX Odessana		ft		.45 .50	.40 .45
TAMARIX Hispida	3-4	ft	.60	.50	.45
VIBURNUM Americanum	3-4	ft	.75	.65	.60
VIBURNUM Carlesi		in	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	1.40 1.90	$\begin{array}{c} 1.30 \\ 1.80 \end{array}$
VIBURNUM Dentatum		3ft ft	.50 .60	.40 .50	.35 .45
VIBURNUM Lantana		ft ft	.60 .75	.50 .65	.45 .60
VIBURNUM Lentago	3-4	ft ft ft	.60 .75 .90	.50 .65 .80	.45 .60 .75
VIBURNUM Molle		3 ft 4 ft	.50 .60	.40 .50	.35 $.45$
VIBURNUM Opulus. Highbush Cranberry.	2-3		.50 .70	.40 .60	.35 .55
VIBURNUM Opulus. Nana Dwarf			1.00	.90	.85
VIBURNUM Opulus Sterilis. Snowball	3-4	ft	.70	.60	.55
WEIGELIA Eva Rathke. Dwarf Red	3-4	ł I U	.70 1.00	.60 .90	.50 .80
WEIGELIA Rosea. Pink	2-3 3-4	3 ft 4 ft	.50 .60	.40 .50	.35 .45

		Each	10's rate	100's rate
ROSES— Rosa Blanda No. Rosa Harrison Yellow No. Rosa Hugonis No. Rosa Lucida No. Rosa Mme Plantier No. Rosa Rubignosa No. Rosa Rubrifolia No. Rosa Setigera No.	1 1 1 1 1	.80 .90 .70 .70 .70 .80 .80	.70 .80 .60 .60 .70 .70	.65 .75 .55 .55 .65 .65
All 2 year No. 1 Austrian Copper, Single intense Copper-Red C. F. Meyer, Double Pink F. J. Grootendorst, Double Red Clusters Grootendorst Pink, Double Pink Clusters Hansa, Double Reddish Violet Sir Thomas Lipton, Double White CLIMBING ROSES— All 2 year, No. 1 field grown		1.25 .80 .80 .80 .60 .70	1.10 .70 .70 .70 .55 .60	1.00 .65 .60 .60 .50 .55
American Beauty, large red American Piller, single rosey pink Crimson Rambler, deep crimson Dorothy Perkins, soft shell pink Dr. Van Fleet, pale pink Excelsa bright crimson lacy clusters Gardenia, large creamy yellow Pauls Scarlet, vivid scarlet Silver Moon, white with golden stamens Tausendschon, soft pink to carmine rose				
Year, No. 1 American Beauty (HP), crimson Columbia (HT), large pink Frau Karl Druschki (HP), large pure white General Jacqueminot (HP), dark red Golden Emblem (HT), deep golden yellow Gruss an Teplitz (HT), scarlet Hadley (HP), rich crimson double J. B. Clark (HP), deep scarlet J. L. Mock (HP), silver pink Kaiserin A. Viktoria (HT), creamy white fragrant Killarney Pink (HT), bright shell pink Lady Hillington (T), deep orange yellow La France (HT), bright satin pink Los Angeles (HT), pink shaded gold M. P. Wilder (HP), deep rich crimson Mme. Caroline Testout (HT), large pink Mrs. Aaron Ward (HT), India yellow shaded salmon pink Mrs. John Laing (HP), large soft pink Ophelia (HT), salmon shading to light yellow Paul Neyron (HP), deep rose Princess Camelle de Rohn (HP), rich maroon Radiance Pink (HT), rosy pink Radiance Red (HT), rosy red Rev. F. Page Roberts (HT), golden yellow with copper and reddish buff	1	.90	.80	.70
souv. de Claudius Pernet (HT), large pink				

Souv. de Georges Pernet (HT), large red yellow	Each	10's rate	100's rate
shading Sunburst (HT), rich yellow shaded copper			
orange Ulrich Brunner (HP), rich cherry red			
STANDARD OR TREE ROSES—			
2 Year heads—pink, red, white, yellow	5.00	4.00	
VINES—			
Ampelopsis Engelmani	.50 .60	$\begin{array}{c} \textbf{.40} \\ \textbf{.50} \end{array}$.35 .45
Aristolochia Sipho (Dutchman's Pipe)2 yr. No. 1	1.00	.90	.85
Bignonia Radicans (Trumpet Creeper) 3 yr. No. 1	.60	.50	.40
Celastrus Orbiculatus (Japanese	70	40	90
Bittersweet)2 yr. No. 1 3 yr. X	.50 .60	.40 .50	.30 .40
Celastrus Scandens 2 yr. No. 1	.60	.50	.40
(Native Bittersweet)3 yr. No. 1	.70	.60	.50
Clematis Henryi (Large White) 2 yr. No. 1	1.50	1.40	1.30
Clematic Jackmani (Large Purple)2 yr. No. 1	1.50	1.40	1.30
Clematis Mme. Ed. Andre (Large Carmine Red)2 yr. No. 1	1.50	1.40	1.30
Clematis Paniculata (Small White)2 yr. No. 1	.70	.60	.50
Euonymous Radicans Vegetus2 yr. No. 1 (Bigleaf Winter Creeper)	.80	.70	.60
Lonicera Sempervirens	.60	.50	.45
Lonicera Heckrotti	.80	.70	.65
Lonicera Prolifera	.50	.40	.30
(Wild Trailing Honeysuckle)3 yr. X Lycium Chinensis	$.60\\.50$.50 .40	.40 .30
(Matrimony Vine)	.00	•±0	•00
Wisteria Sinensis	.80	.70	.65
FRUIT—			
Apples —11-16 in. and up, 5-6 ft., No. 1 Ben Davis	.80	.70	.60
Delicious			
Duchess			
Early Harvest.			
Fallawater Fameuse (snow)			
Grimes Golden			
Golden Russet			
Jonathon			
McIntosh Northern Spy			
N. W. Greening			
Pewaukee			
Red Astrachen			
Tolmon Sweet			
Wealthy Winesap			
Winter Banana			
Wolf River			
Yellow Transparent			

		Each	10's rate	100's rate
Crab Apple—11-16 in. and up, 5-6 ft., No. 1 Hyslop Dolga Red Siberian Yellow Siberian Sweet Russet Whitney		.80	.70	.60
Cherry—11-16 in. and up, 5-6 ft., No. 1 Black Tartarian Early Richmond Large Montmorency	••••••	.80	.70	.60
Peach—11-16 in. and up, 5-6 ft., No. 1 Marquette (Hardy)	•••••	.80	.70	.60
Pear—11-16 in. and up, 5-6 ft., No. 1 Bartlett Kieffer Seckel		.80	.70	.60
Plum—11-16 in. and up, 5-6 ft., No. 1 Damson, Dark Blue DeSoto, Purplish Red Surprise, Large Dark Red Yellow dots	•	.80	.70	.60
Plum—Hanson Hybrids—5-6 ft., No. 1 Golden Rod, large yellow Kohinta, large oval shape red Loring, red large Opata, purplish red Sapa, purple Tonka, large red good flavor Underwood, large red, early Waneta, large red very good		.80	.70	.60
Currants— Cherry, large red. 2 yr. No. 1 Whiet Grape, white, 2 yr. No. 1 Perfection Red, 2 yr. No. 1	•••••	.25 .25 .40	.20 .20 .35	.18 .18 .30
Grapes—2 yr. No. 1 Agawan, early red Beta, black Concord, black Delaware, small purple Moore Early, early black Niagra, white Worden, large bluish black Gooseberry—2 yr. No. 1		.30 .25 .20 .30 .30 .30	.25 .20 .17 .25 .25 .25	.20 .18 .14 .20 .20 .20
Downing Red Jacket	,	.25 .30	.20 .28	.18 .25
Blackberry—Snyder, No. 1		12 1.20	25 2.25	100 8.00
Raspberry—No. 1 Cumberland, black Columbia, purple Chief, new large red Latham, large red		1.50 1.50 1.25 1.25	2.50 2.50 2.00 2.00	9.00 9.00 7.00 7.00

		Per	Per	Per
		25	100	500
Strawberry—No. 1				
Aroma		.35	1.00	4.00
Beaver		.35	1.00	4.00
Dunlap		.35	1.00	4.00
Mastoden (Everbearing)		.75	2.50	10.00
Progressive (Everbearing)		.75	2.50	10.00
Asparagus—2 yr. No. 1 Columbian Mammoth, white Mary Washington, white rust proof Palmetto, purple		.75	2.00	8.00
Palmetto, purple			10's	100's
		Each	rate	rate
Rhubarb—2 yr. No. 1	******	.20	.15	.10

PERENNIALS

Perennials have increased greatly in popularity and in attempting to keep up with the demand, we have added new varieties to our list as fast as we have found them adaptable to Wisconsin conditions. We have grown increasingly large quantities until we now grow many thousands each year.

The plants quoted are all strong, transplanted stock of sufficient age strength to bloom the first year.

* designates rock plants.

Heights given are of plants when in bloom.

These prices include delivery and our usual guarantee.

Special prices will be made on large quantities, without delivery or guarantee.

Three of one variety will be sold at 10's rate.

An extra charge will be made for plants selected and staked when in bloom or dug with ball of earth.

or day with sail or dardi.			
		10's	100's
ACHILLEA—Yarrow—	ach	rate	rate
filipendulina, flat heads, bright yellow. June-July, 2-3 ft.	30	.25	.20
Perry white, large, pure white. June-Sept. 2 ft		.20	.18
pink yarrow, finely cut green foliage. June 1½ ft		.20	.18
tomentosa, wooly foliage, yellow. June 6-8 ft		.20	.18
ACONITUM—Monkshood. (Roots are poisonous, if eaten.)			
fischeri Wilsoni, spikes of violet blue. SeptOct. 5-6 ft	.50	.45	.40
*AETHIONEMA—Stonecress—			
pulchellum, rosy pink flowers. June-Aug. 6-8 in	.35	.30	.25
*AJUGA—Bugle—			
reptans rubra, deep purplish blue. May-June. 3-4 in	.25	.20	.18
*ALLIUM THIBETICA—Lilac-mauve. June-July. 6-8 in	.25	.20	
ALTHEA ROSEA—Hollyhock—			
Double, appleblossom, crimson, rose, scarlet, white	0-	90	10
yellow, mixed		.20	.18
Single, mixed	.23	.20	.18
ALYSSUM—			
argenteum, yellow heads, leaves silvery beneath, June.	.25	.20	.18
*citrinum, similar to saxatile compactum, pale yellow	.20	.20	.10
*citrinum, similar to saxatile compactum, pare yellow May. 1 ft	.25	.20	.18
*saxatile compactum, yellow, border or rockery. May. 1 ft.		.20	.18
*serpyllifolium, dwarf variety, pale yellow. May. 4-5 in	.25	.20	.18
(40)			

	Each	10's rate	100's rate
ANCHUSA— dropmore, gential blue. June. 4 ft		.20 .30	.18 .25
ANAMONE— *pulsatilla, Pasque flower, purple. April-May. 9-12 in	35	.30	.25
ANTHEMIS— Perry variety (new), large golden yellow flowers tinctoria kelwayi, yellow. June-July. 2 ft		.20 .20	.18
AQUILEGIA—Columbine— caerulea. (Colorado Columbine) blue and white, long			
spurred. June. 2 ft	20	.25	.20
chrysantha, yellow, long spurs. June. 2½-3 ft		.25 .25	.20
Dobbies Imperial Hybrids, (new), large flowers, long spurs		.25	.20
Mrs. Scott Elliott Hybrids, large flowers, long spurs.	. ,00	.20	.20
June	30	.25	.20
Pink shades, long spurred		.25	.20
		.25	_
pyrenacia, (new) deep blue flowers	.30	.20	.20
ARABIS ALPINA—Rockcress—	95	90	10
white, fragrant. Rockery or border. AprMay. 6-8 in		.20	.18
Alpina fl. pl., similar to above, but double white flowers.		.30	.25
rosea, pale pink, similar in habit to Arabis Alpina	.35	.25	.20
*ARENARIA—Sandwort—			
caespitosa, mossy growth, white, good for rock gardens.			
1-2 ft	.30	.25	.20
•		• • • •	
ARTEMISSIA—			
lactiflora. White Mugwort. Fragrant white. AugSept.			
	.30	.25	.20
4 ftsilver king, white leaved contrast plant. 2-3 ft	.30	.25	.20
ASCLEPIAS—Milkweed—			
tuberosa. Butterflyweed, erect clusters, bright orange.			
July-Aug 2 ft	30	.25	.20
July-Aug. 2 It.	.50	.20	.20
ASPHODELINE—			
lutea, tall spikes, yellow. July. 3 ft	.30	.25	.20
ASTER—			.,
*alpinus alba, dwarf white. May-June. 6-8 in	.30	.25	.20
*alpinus. Dark Beauty. Dark blue. May-June. 8 in		.25	.20
amellus. Beauty of Ronsdorf, Lilas rose, Late Aug.		,,,,	• 0
1½-2 ft	.35	.30	.25
amellus. King George, bluish violet	.35	.30	.25
amellus. Perry's favorite. Bright pink. Late Aug. 1½-2 ft.		.30	.25
Barr's pink (new). Bright pink. AugSept. 4 ft	.05 25	.30	.25
Climax, lavender blue. AugSept. 4 ft	.00 20	.25	
novae angliae. New England Aster. Violet-purple. Aug.	.00	.23	.20
3-4 ft.	20	.25	.20
novae angliae roseus, rosy purple. AugSept. 3-4 ft		.25 .25	
Oneen Mary (new) large blue tinted large der	•0U		.20
Queen Mary (new), large blue tinted lavender	•90	.25	.20
St. Egwin, pink, dwarf bushy habit. AugSept. 2½ ft	.50	.25	.20
White Climax, white	.30	.25	.20
sub-caeruleus, large pale blue. 12-15 in	.30	.25	.20
ASTILBE—			
	ru ~	PM CO	0~
Queen Alexander, bright pink	.75	.70	.65
*AUBRETIA—			
	.35	.30	25
1 1	.00	.00	.25

Eac	10's h rate	100's rate
BAPTISIA—Wild Indigo— australis. dark blue lupine like. June. 2½ ft	.25	.20
BELAMACANDA CHINENSIS—Blackberry Lily—orange, seed pods resemble blackberries. Aug. 3 ft	.25	.20
BOCCONIA CORDATA—Plume Poppy— Panicles creamy white. June. 6 ft	.25	.20
BOLTONIA— asteroides, white. AugSept. 4-5 ft		.20
latisquamis, lavender pink flowers		.20
CALLIRHOE—Poppy Mallow— involucrata, trailing, deep crimson-white center. June-Sept. 1 ft	.25	.20
CALAMINTHA—		
alpina, small purple flowers. June-July. 6 in	.25	.20
CAMPANULA—Bellflower—		
*blue, white		.18
*garganica (new), starry light blue with white eye 35		.25
glomerata, deep blue. July. 1½ ft		.18
medium. Canterbury-bell. June. 2 ft. blue, pink, white25		.18
medium calycanthema. Cup and saucer, blue, pink, white .25 pericifolia. Peachleaf Bellfower. Spikes of large bell	.20	.18
shaped flowers. June-July. 2 ft. Blue, white		.20
pyramidalis, fall spikes. Aug. 4-5 ft. Blue, white	.25	.20
CASSIA MARILANDICA—Wild Senna— Pea-like yellow. AugSept. 4-5 ft) 95	90
rea-like yellow. Augsept. 4-5 It	.25	.20
CENTAUREA—		
Dealbata, rose-pink. June-July. 2 ft		.18
macrocephala, thistle-like yellow flowers. July. 3-4 ft25		.18
Montana, violet-blue. June. 2 ft	.20	.18
*CERASTIUM TOMENTOSUM—Snow-in-summer—		
silvery foliage, white flowers. May-June. 6-8 in	.20	.18
CHRYSANTHEMUM—(Pyrethrum)—		
Coccineum. Painted Lady (Pyrethrum Roseum) single		
mixed. June. 2 ft	.25	.20
James Kellway. Deep crimson		.25
Coreanum, daisy-like flowers, white changing to pink.	•	
Oct	.25	.20
Leucanthemum. Oxeye Dairy (Memorial Daisy), white.		10
May. 2-3 ft	5 .20 .25	.18
Maximum. Shasta Dairy.	.20	.20
Alaska, large white. June-July. 1½ ft	.20	.18
King Ed. VII, similar to Alaska but taller. 3 ft		.18
Hardy Chrysanthemum		.20
Bronze Button, bronze		
Brune Poetivine, reddish bronze		
Angelo, large flowering pink		
Excelsior, golden yellow		
Firelight, red, tipped copper		
Glory of Seven Oaks, deep golden yellow		
L'Argentuillais, chestnut brown		
Mrs. Phillips, single pink, yellow center		
Petite Louise, pale pink Skibo, bronze to yellow		
Skibo, biolize to yellow		

		10 's	100' s
${f E}$	ach	rate	rate
Snowdrop, pure white button			
White Doty, pure white pompom			
Barbara Cumming, clear yellow shading to bronze			
at center	.35	.30	.25
at center			
CIMICIFUGA RACEMOSA—			
Cohosh Bush, narrow white spikes. July. 3-4 ft	.40	.35	.30
Collosh Bush, harrow white spines. bury. o'r reministration		• • • •	•
CLEMATIS—			
Integrifolia Caerulea, blue. June-Aug. 18-24 in	.40	.35	.30
Recta, fragrant white flowers. June-July. 2 ft	.40	.35	.30
itecta, fragrant white flowers. Suite Suity. 2 formation			,
CONVALLARIA MAJALIS—			
Lily of the valley. May-June. Clumps	.40	.35	.30
COREOPSIS—	• 10	****	•••
Large single yellow. June-Sept. 2 ft	25	.20	.18
Large single yellow. June-Sept. 2 1t	.~0	•••	120
CORYDALIS CHELIANTHIFOLIA—			
Fernlike foliage, yellow. 18-24 in	.40	.35	.30
=			
DELPHINIUM—Larkspur—			
Belladonna, light blue. June. 3-4 ft	.30	.25	.20
Bellamosa, dark blue. June. 3-4 ft.	.30	.25	.20
Blackmore and Langdon Strain. Tall spikes. June.			
Nursery run	.40	.35	.30
Plants selected and staked when in bloom	.75		
Chinese. June. 2½ ft. Blue, white		.25	.20
Wrexham Strain (Hollyhock Delphinium), extra long and			
tapering spikes. Nursery run		.35	.30
Plants selected and staked when in bloom			
Foersters Strain. New German strain.		.25	.20
Lemoines. New French strain.		.25	.20
Kellways Choice Show.		.25	.20
Pudor's Prize Winner Strain		.25	.20
	•00	.,,,	
DIANTHUS—Pink Carnation—			
*Dwarf, compact growth. June. 6 in	.30	.25	.20
*Arenarious, white, deeply fringed, fragrant. 6-8 in		.20	.18
Arvernensis, dwarf, compact, pink		.25	.20
Barbatus. Sweet William. Mixed, Newport pink, scarlet			
beauty	.25	.20	.18
*Caessius. Cheddar pink, compact growth, rose. May-Jun		•,,,	•
6 in		.20	.18
*Deltoides. Maiden pink. June-July. 6-in. Rose, white		.20	.18
Major Stearnes Variety, bright crimson dark foliage		.20	.18
Double cluster (Latifolious), double crimson. June.	-7-0	• • • •	
1½ ft	.25	.20	.18
*Neglectus, deep rose. 6 in.	35	.30	.25
Grenadin, dwarf compact hardy carnation, single and	00	.00	
double. June-July. 12-15 in. Pink, scarlet, white	30	.25	.20
Plumarius. Grass Pink. Fragrant, fringed petals. June.	00		
1½ ft	25	.20	.18
- /2	70	•/• 0	•
DICENTRA—Bleedingheart—			
*Eximea. Fringed bleedingheart, pink, finely cut foliage	.		
1 ft	35	.30	.25
Spectabilis. True bleedingheart, pink. May-June. 2 ft		.55	.50
DICTAMUS—Gasplant—			
June-July. 2-3 ft. Red, white	.40	.35	.30
DIGITALIS—Foxglove. Biennial—			•
Giant Shirley. Mixed. June-July. 4-5 ft	30	.25	.20

DORONICUM—Leopardbane—	Each	10's rate	100's rate
Caucasicum. Bright yellow. May-June. 1½-2 ft	.40	.35	.30
ECHINACEA—Coneflower— Purpurea, reddish purple. July-Aug. 2-3 ft	30	.25	.20
ECHINOPS Ritro—Steel Globe Thistle— Round heads, deep metalic blue. July-Aug. 2-3 ft	.25	.20	.18
ERYNGIUM AMETHYSTINUM— Blue flowers. 2-3 ft	.30	.25	.20
EUPHORBIA—Spurge— Beautiful yellow flowers. 1 ft. May-June	.35	.30	.25
FERNS— Native mixed	.40	.35	.30
FILAPENDULA ULMARIA—European Meadowsweet— Double creamy white. June-July. 2-3 ft	.40	.35	.30
GAILLARDIA— Kellway's Exhibition Strain, yellow and crimson. 2 ft Portola Hybrids, brilliant scarlet margined yellow		.20 .20	.18 .18
GALLIUM VERUM— Yellow flowers. June-July. 12-in.		.25	.20
GERANIUM SANQUINEA— Deep rose, blooms all summer. 12 in	.30	.25	.20
GYPSOPHILA— Bristol Fairy, large panicles of double white flowers.		0.0	
June. 2-3 ft Pacifica (new), single pink. June-July. 2-3 ft	.65 $.40$	$.60\\.35$.30
Paniculata fl. pl. Snowhite. Misty white sprays. 2-3 ft*Repens, trailing variety. July-August. 6-8 in	.35	$\begin{array}{c} .30 \\ .25 \end{array}$	$\begin{array}{c} .25 \\ .20 \end{array}$
HELENIUM—Sneezeweed—			
Great Helenium Autumnale Superbum yellow. 4-5 ft		.30	.25
Red Helenium Autumnale Rubrum. 4 ft		.30 $.30$	$\begin{array}{c} .25 \\ .25 \end{array}$
Riverton Gem, old gold to wallflower red. 4 ft		.30	.25
HELIANTHEMUM—Sunrose— July-Aug. Sunny position. Mixed	.35	.30	.25
HELIOPSIS PITCHERI—			
Large yellow. July-Aug. 3-4 ft	.30	.25	.20
HEMEROCALLIS—Day Lily—	0~	90	· · ·
Dumorteri, orange yellow		.30	.25 $.25$
Flava. Lemon lily, lemon yellow. May-June. 2½ ft		.30	.25 .25
Fulva. Orange lily. orange. June-July. 3-3½ f.t		.30	$\overset{\cdot \sim 5}{.25}$
Thunbergi, similar to flava, but blooms in July		.30	.25
HESPERIS—Rocket (Sweet Rocket)— Fragrant flowerings. June-July. 2-3 ft. Purple, white	.30	.25	.20
*HEUCHERA—Alumroot—			
Brizoides, pale pink. May. 1½ ft	.40	.35	.30
Sanquinea. Coralbells, coral red. June 1½ ft	.40	.35	.30
Sanquinea alba, white	.40	.35	.30

	Each	10's rate	100's rate
HIBISCUS—Rosemallow—			
Vigorous growing, large flowers. AugSept. 4-5 ft. Pink,	•	94	2.0
red, white	.30	.25	.20
HOSTA—Plantainly—			
Caerulea, early blue. July-Aug. 1½ ft		.30	.25
Lancifolia, narrow leaves, blue, later than caerulea		.30	.25
Plantaginea, white flowers, large light green leaves Undulata variegata, variegated foliage		.35 .30	.30 .25
Ondurata variegata, variegated lonage	.00	.50	.20
*HYPERICUM—St. Johnswort—			
Fragile, trailing yellow	.30	.25	.20
*IBERIS SEMPERVIRENS—Candytuft—			
Evergreen foliage. April-May. 8-12 in	.30	.25	.20
INULA ENSIFOLIA— Yellow. 12-15 in. July-Aug.	20	.25	.20
renow. 12-15 m. July-Aug.	.50	.20	.20
IRIS GERMANICA—German Iris—			
Afterglow, soft lavender, yellow center. 3 ft		.20	.18
Alcazar, S. light bronzy violet, F. deep velvety purple		.20	.18
Ambassadeur, S. dull coppery violet, F. rich purple brown		.30	.25
Black Prince, S. and F. rich violet purple. 1½ ft		.20 .20	.18 .18
Bougere, S. and F. lilac and purple. 2 ft		.20	.18
Caprice, S. reddish purple, F. deeper, $2\frac{1}{2}$ ft		.20	.18
Crusader, S. light violet blue, F. deeper. 3 ft		.30	.25
Dalmatica, S. clear lavender blue, F. deep lavender. 3½ ft.		.20	.18
Delicatissima, S. deep lavender, F. lght purple. 3 ft	.25	.20	.18
Eldorado, S. yellowish bronze, F. violet purple. 2½ ft		.25	.20
Fairy, white, bordered pale blue. 3½ ft		.20	.18
Flavescens, light yellow. 3 ft		.20	.18
Florentine, white $2\frac{1}{2}$ ft	.20	.20	.18
2½-3 ft	.35	.30	
2½-3 ft	.25	.20	.18
,	.25	.20	.18
Her Majesty, S. rosey pink, F. pink veined crimson			
.2½ ft	.25	.20	.18
Honorabilis, S. golden, F. rich mahogany brown. $2\frac{1}{2}$ -3 ft	25	.20	.18
Isoline, S. lilac pink, F. deep lilac pink, veined brown		.20	.18
Juanita, S. and F. deep blue. $3\frac{1}{2}$ ft		.20	.18
Jacquesiana, S. orange crimson shaded copper, F. deep			
maroon	.25	.20	.18
Lent A. Williamson, S. lavender brown, F. velvety purple.	.25	.20	.18
Long of June S. levender blue F. wick with the S. C.	.25	.20	.18
Lord of June, S. lavender blue, F. rich violet blue. 3 ft Loreley, S. light yellow, F. blue bordered light yellow	.40	.35	.30 .18
Madam Chereau, white filled azure blue. 2½ ft	.25 25	.20 .20	.18
Magnifica, S. light violet blue, F. deep reddish violet	.60	.55	.50
Miranda, S. and F. clear violet blue. 3½ ft		.20	.18
Monsignor, S. pale violet, F. pale violet overlaid with		• • • •	12.0
purple	.25	.20	.18
Mother of Pearl, light soft lavender, lustrous texture: 4 ft.		.30	.25
Mrs. H. Darwin, S. and F. white reticulated violet at base		.20	.18
Mrs. W. E. Fryer, S. pale mauve, F. deep velvety purple		.20	.18
Mrs. Alan Gray, soft lilac. 2½ ft		.20	.18
Perfection, S. light blue, F. rich velvety lavender. 2½ ft.		.20	.18
Princess Victoria Louise, S. sulphur yellow, F. rich violet	95	.20	.18
violet violet	20	.&U	•10

		10 's	100's
Prosper Laugier, S. light bronzy red, F. velvety ruby	lach	rate	rate
purple	.25	.20	.18
Prospero, S. pale lavender, F. deep red-purple		.25	.20
gold	.25	.20	.18
Queen of May, S. lilac, F. soft rosy lilic. 2½ ft		.20	.18
Rheine Nixe, S. white, F. rich violet purple. 3 ft		.20 .20	.18 .18
Sambucina, rose purple with touch of orange. 2½ ft		.20	.18
Seminole, S. soft violet rose, F. rich velvety crimson		.25	.20
Shekinah, pale yellow	.30	.25	.20
Sherwin Wright, S. and F. golden yellow. 2 ft		.20	.18
purple		.30	- (2.0
Sweet Lavender, S. pale lavender, F. deep rose lavender Violacea Grandiflora, S. rich blue, F. violet blue. 2 ft		.25	.20
Walhalla, S. light blue, F. velvety violet-purple. 2½ ft		$\begin{array}{c} .20 \\ .20 \end{array}$.18 .18
	.29	.~0	.10
IRIS KAEMPFERI—Japanese Iris—	4.0		47.43
Gold Bound, white, gold banded center		.35	.30
Mahogany, deep mahogany red		.35 $.35$.30 .30
Uchieu, Caerulean blue, golden center		.30	.25
Mixed		.30	.25
TDIS CDISTIATIA			
IRIS CRISTATA— Creeping species, rich amethyst blue. 3-4 in	.30	.25	.20
IRIS PUMILA—			
4-6 in. Purple, white	.25	.20	.18
Yellow	.30	.25	.20
IRIS Pseudacorus (Yellow Flag Iris), 3-4 ft	.30	.25	.20
IRIS Sibirica—White, Perry blue. 3 ft	.30	.25	.20
KNIPHOFIA—Torchlily (Tritoma)—			
Bonfire Torchlily. Orange-scarlet. Not hardy. Store in			0.5
cellar	.35	.30	.25
LATHYRUS—Perennal Sweet Pea— July-Aug. Red, rose, white	.30	.25	.20
LIATRIS—Gayfeather— Pycnostachya, long spikes, rich purple. July-Aug. 4-5 ft	.30	.25	.20
LIMONIUM LATIFOLIA——			
Bigleaf Sea-lavender. Panicles lavender-blue	.35	.30	.25
LINUM PERENNE—Perennial Flax— May to Aug. 2 ft. Blue, white	.25	.20	.18
LOBELIA CARDINALIS— Spikes of brilliant flowers. Aug. 2-3 ft	.35	.30	.25
LUPINE POLYPHYLLUS—Lupine— May-June. 2-3 ft. Blue, pink, white, mixed	.30	.25	.20
LYCHNIS—Campion—			
Arkwright, orange scarlet to salmon pink. June-July.			
1-11/6 ft	.30	.25	.20
Chalcedonica. Maltese Cross. Brilliant scarlet. July. 3 ft	.25	.20	.18
LYSIMACHIA NUMMULARIA— Creeping vareity, yellow. June-Aug. 4 in	.30	.25	.20
(05)			

	Each	10's rate	100's rate
LYTHRUM ROSE LOOSESTRIFE—(Lythrum Roseum)— Rosy purple spikes. July-Aug. 4 ft	.30	.25	.20
MALVA MOSCHATA-Musk Mallow-June-Aug. 2 ft. Rose	.30	.25	.20
MERTENSIA VIRGINICA—Bluebells—May-June. 1½ ft	.30	.25	.20
MONARDA DYDIMA—Oswego Beebalm— Aromatic foliage, scarlet	.30	.25	.20
*MYOSOTIS—(Forget-me-not)— Palustris semperflorens, good for damp places. 8-10 in. blue	.25	.20	.18
*NEPETA MUSSINI— Compact bushy habit. lavender. May-June. 1 ft	.30	.25	.20
OENOTHERA—Evening Primrose— Misouriensis, prostrate variety, yellow. June-Aug. 1 ft Suffruticosa, deep yellow. June-Sept. 2 ft	.30	.25 .25	.20 .20
Youngi, lemon yellow. June-Aug. 2 ft PAEONIA—Peony—	.30	.25	.20
Agida, semi-double, red. mid-season	.45	.40	.35
Albert Crousse. salmon pink, double large type, late		.60	.55
Avalanche, late mid-season, blush white. faint pink center		.50	.45
Baroness Schroeder, late mid-season, pale flesh white		1.00	
Claire Dubois, late, bright rose-pink		.80	0~
Cornea Elegans, delicate pink, mid-season		.40 .40	.35 .35
Couronne d'Or, white, center petals tipped carmine, late Duchess de Nemours, white, surphur yellow center, early		.40	.35
Edulis Superba very early, fragrant, bright old rose-pink		.40	.35
Felix Crousse, laet mid-season, red Fesitva Maxima, white, center petals flecked crimson,		.60	.55
early	.45	.40	.35
Fragrans, American-beauty rose shade, late		.40	.35
François Ortegat, crimson	.45	.40	.35
James Kelway, mid-season, pale pink Karl lRosenfield bright crimson, mid-season		.80 .60	.75 .55
LaTulipe, mid-season, flesh pink		.50	.45
Madam Verneville, early white, crimson flecked, medium		.40	.35
Marguerite Gerard, pale pink to rose, very large			
mid-season		.40	.35
Marie Crousse, mid-season, rose pink shaded salmon	85	.80	.75
Midnite, red. mid-season Mons Jules Eli, light rose pink, early	40 1 10	.40 1.00	.35
Mrs. Emil Galli, late, light rose pink	.45	.40	.35
Officionalis Rubra, fl. pl., rich deep crimson, first to			
bloom	1.25	1.15	1.10
Sarah Bernhardt, apple blossom pink.	.1.10	1.00	
Venus, mid-season, light rose pink	65	.60	.55
PAPAVER—Poppy— *Alpinum. Alpine Poppy, fringed mixed colors. May-Aug.			
1 ft	40	.35	.30
Nudicaule. Iceland Poppy. Mixed colors	30	.25	.20
PAPAVER ORIENTALE—Oriental Poppy. June-July. 2-21/2	ft.		
Beauty of Levermere, crimson with black blotches	.40	.35	.30
Mrs. Perry, orange apricot Perry White, white with crimson blotches at base of petals	40	.35	.30
, white with climson blottnes at base of petals	s .40	.35	.30

PENTSTEMON—	Each	10's rate	100's rate
Grandiflorus, long spikes, lavender blue. May-June. 2-3 ft. Hirsutus (pubescens), violet shaded to flesh pink. June.		.25	.20
2 ft	.30	.25	.20
Torreyi, tall spikes, brilliant scarlet. June-Aug. 3 ft	.30	.25	.20
PHALARIS—Variegated ribbon grass	.30	.25	.20
PHLOX— Report Ven Dedom builliant energy seculat	9.0	a~	90
Baron Von Dedem, brilliant orange, scarlet		.25	.20
Baron Von Heckeren, rose pink		.25	.20
B. Comte, rich French purpleBeacon, brilliant cherry red		.25 .25	.20 .20
Bridesmaid, white with rose crimson center		.25	.20
Champs Elysses, bright rosy magenta		.25	.20
Count Zepplin (new), pure white with vermillion red eye		.30	.25
Eclaireur, rosy magenta with lighter halo		.25	.20
Enchantress, salmon pink, deep		.25	.20
Ethel Pritchard, mauve, almost pale blule		.25	.20
Europa, white with carmine eye		.25	.20
Fera. Cortez, crimson overlaid with copper bronze		.25	.20
Fuerbrand, brilliant orange scarlet		.30	.25
Gefion, pink		.25	.20
Jules Sandeau, large heads of brilliant watermelon pink,		4,00	•/• 0
dwarf	.30	.25	.20
Lassburg, mid-season, tall large white		.25	.20
LaVogue, mauve with carmine eye		.20	.18
LeMahdi, metallic bluish violet		.25	.20
Milly, bright pink		.25	.20
Miss Lingard, large trusses of white, June-July		.25	.20
Mrs. Jenkins, pure white, late		.25	.20
Mrs. Scholten, deep salmon pink, large pyramidal spikes.		.25	.20
Rising Sun (new). salmon-pink		.25	.20
R. P. Struthers, bright rosy carmine, red eye	.30	.25	.20
Rynstrom, large carmine rose		.25	.20
Siebold, orange scarlet, crimson center		.25	.20
Thor, deep salmon pink		.25	.20
W. C. Egan, soft lilic shade, red eye	.30	.25	.20
Widar, bright reddish violet, white center		.25	.20
*Amoena, bright pink, dwarf. April-May. 6 in	.30	.25	.20
*Divaricata, nature species, lavender. 10 in. April-May *Subulata, dwarf trailing, moss-like foliage. April-May	.30	.25	.20
*Alba, white	.30	.25	.20
*Fairy, pale blue with dark purple eye, compact	.30	.25	.20
*Lilacina, pale lilac		.25	.20
*Morheimi, carmine pink, red eye	.30	.25	.20
*Rosea, pink		.25	.20
*Vivid, bright pink with red eye, dwarf, compact	.35	.30	.25
PHYSOSTEGIA—False Dragon Head—			
Virginica, spikes of rosy pink. July-Aug. 3-4 ft		.25	.20
Vivid, dwarf compact, deep pink. AugSept. $1\frac{1}{2}$ -2 ft	.35	.30	.25
PLATYCODEN—Balloonflower—			
Tall blue, tall white. June-Aug. 2½ ft	.30	.25	.20
Dwarf blue, dwarf white. June-Aug. 1-1½ ft		.25	.20
POLEMONIUM—Jacob's Ladder—	90	o.~	12/1
Blue, June-July. 1½ ft.		$\frac{.25}{25}$.20
*Humile, pale blue, white throat. June-Aug. 6 in	.40	.35	.30
POLYGONUM CUSPIDATUM—Japanese Fleeceflower— White. Aug. 2-3 ft	.30	.25	.20
			4.4 17

777	a alla	10's	100's
	ach	rate	rate
*PRIMULA—Hardy Primrose— Auricula Alpina, mixed colors. 6 in	.35 .35	.30 .30	.25 .25
Polyantha (bunch primroses) Munstead Strain mixed.	.35	.30	.25
8-12 in Polyantha, Barr's Exhibition Reds. 8-12 in Suttons superb mixed and Suttons yellow	.35	.30 .30	.25 .25
DANIEN CHILLIS ACDIS			
Tall Buttercup, yellow. May-June. 2 ft	.30	.25	.20
RUDBECKIA—(Coneflower)—			
Hirta, Black Eyed Susan. July-Aug. 2½ ft		.25 .25	.20 .20
SALVIA AZUREA—Spikes of sky blue. Aug. 4-5 ft	.30	.25	.20
*SAPONARIA—Soapwort—			,
Ocymoides. Rosy pink. June. 8-10 in	.30	.25	.20
*SAXIFRAGA—	40	0~	00
Cordifolia, rosy pink. April-May. 1 ft	.40 40	.35 .35	.30 .30
McNabiana, grey-green foliage in forms of a rosette, white		.35	.30
SCABIOSA—			
Caucasica, soft shades of lavender. June-Aug. 2 ft		.30 .30	.25 .25
SEDUM—Stonecrop—			
*Acre, green foliage, yellow flowers. May-June. 4 in		.25	.20
*Album waxy foliage, white flowers. May-June. 4 in		.25	.20
Anacampseros, (new) grey-green foliage, purplish-pink Ewersi, rose-pink. July-Aug. 8 in		.25 .25	.20 .20
*Kamtschaticum, yellow flowers. July-Aug. 6 in	.30	.25	.20
*Kamtchaticum variegatum, variegated	.35	.30	.25
Hispanicum, pink flowers, fine growth Lydium, mossy green, turns red in fall, pink flowers.	.30	.25	.20
2-3 in		.25	.20
*Pruniatum Forsterianum, trailing, glaucous green leaves yellow flower		.25	.20
Pulchellum, bright green foliage, rose-pink flowers		.25	.20
*Sarmentosum, rampant grower, yellow		.25	.20
*Sieboldi glaucous foliage, pink flowers. AugSept		.30	.25
Spectabile, flat heads, rose flowers. Aug. 1½ ft		.25	.20
Purple showy stonecrop, deep rose crimson		.25	.20
Stoloniferum, rose-crimson. July-Aug. 6 in *SEMPERVIVUM—Houseleek—	30	.25	.20
Arachnoideum. Spiderweb Houseleek. Small rosettes, red			
flowers	25	.20	.18
Arenarium, small green rosettes in large numbers	20	.15	.12
Brauni, small rosettes, bronze leaves. Doellianum small hairy rosettes of pale green leaves,		.20	.18
red tipsFauconetti, small rosettes with small leaves, red flowers.	25	.20	.18
Funcki, green tipped brownish rosettes, dull rose flowers.	Zə 95	.20 .20	.18 .18
Globiferum, bright green globular rosettes	20	.15	.12
Tectorum, broad rosettes with reddish color	20	.15	.12
Triste, sharply pointed rosettes of reddish color	20	.15	.12
	20	.15	.12

	lo ob	10's	100's
	lach	rate	rate
*SILENE—Catchfly. Campion— Saxifraga, mossy growth, white	30	.25	.20
Schafta, bright pink. July-Sept. 6-8 in	30	.25	.20
Scharta, bright plik. July-Sept. 0-0 m	.00	•80	•~0
*STATICE—Thrift—			
Armeria Alpina, compact growth, bright rose. June-July	.30	.25	.20
Armeria Cephalotes Rubra, deep rose. 1 ft	.30	.25	.20
Rosalie, bright rosy red. 6-8 ft. June-Aug	.30	.25	.20
New pink	.30	.25	.20
STOKESIA—Blue. July-Aug. 1-1½ ft	.30	.25	.20

*TEUCRIUM— Chamaedrug glaggy avergreen folioge numbe July Aug			
Chamaedrys, glossy evergreen foliage, purple. July-Aug.	20	95	90
1 ft	.50	.25	.20
THALICTRUM—Meadowrue—			
*Maiden Hair, foliage similar to maiden hair fern, white	.35	.30	.25
Aquilegiafolium Purpureum, purple. 3 ft		.30	.25
Glaucum, blue gray foliage, yellow flowers. 4 ft		.20	.18
	****	0,00	7.20
THERMOPSIS CAROLINIANA—			
Yellow spikes, lupine flowers	.35	.30	.25

*THYMUS—	0.0	0.5	9.0
Serphyllum, dark green foliage, purple flowers. June-July		.25	.20
Serphyllum Album, dark green foliage, white flowers. 4 in.		.25	.20
Crimson Thyme, bright red flowers		.25	.20
Wooly Thyme, wooly foliage, reddish pink flowers	.30	.25	.20
TRADESCANTIA VIRGINICA—Virginia Spiderwort—			
Blue, all summer. 2 ft	30	.25	.20
Dide, all Sammer. 2 It	.00	.40	•140
*TROLLIOUS—Globeflower—			
Europeous, mixed yellow and orange. 2 ft	.50	.45	.40
Ledebouri, orange yellow. 3 ft	.50	.45	.40
Ledebouri golden queen, (new)	.50	.45	.40
*TUNICA—Tunicflower—			
Saxifraga, small pink flowers all summer. 8-10 in	.30	.25	.20
THE ADVINCE OF THE CONTRACT OF			
VALARIANA OFFICIONALIS—Garden Heliotrope—			
White, odor of heliotrope. June-July. 3 ft	.30	.25	.20
VEDDASCHIM DILGENICHTIM			
VERBASCUM PHOENICEUM—	0.0	0.5	
Flowers of white, rose and purple shades	30	.25	.20
VERONICA—Speedwell—			
*Gentianoides pale blue flowers. June-July. 1 ft	90	95	90
*Incana, silvery gray foliage, violet blue. July-Aug. 1 ft	3V 20	.25	.20
Longifolia Subsessilis, spikes of dark blue. July-Aug. 2 ft	ວບ ໑ຬ	.25	.20
*Rupestris, prostrate dense foliage, blue flowers. June. 6 in	ออ 	.30	.25
Rupestris nana rosea, dark green foliage, mauve pink.	อบ	.25	.20
April	20	.25	.20
Spikata, spikes of blue. June-July. 2½ ft	30 95	.20	.20
	.20	.20	110
*VINCA MINOR—Common Periwinkle—			
Trailing evergreen foliage, lilac blue. April-May	25	.20	.18
*VIOLA—Violet—			
Admiration, dark blue	25	.20	.18
Apricot, rich apricot shade	35	.30	.25
Blue perfection, light blue	25	.20	.18
Jersey gem, compact habit, pure rich velvet	30	.25	.20

	Each	10's rate	100's rate
Lutea splendens, golden yellow		.20	.18
Lord Nelson, glowing violet purple		.20	.18
G. Wermig, rich violet blue		.25	.20
Johnny Jump-Ups, small flower, purple and yellow		.20	.18
Odorata, single Russian, single blue, sweet scented		.45	.40
Puck, purple violet and yellow		.20	.18
YUCCA FILAMENTOSA—Spanish Bayonet— Evergreen sword-like foliage, spikes of cream white flowers. July. 4-6 1t	40	.35	.30
DAHLIAS—			
Large flowered in variety	25	.20	.18
Pompoms in variety		.20	.18
GLADIOLUS— Named varieties in all colors. Write for list of varieties FALL BULBS—	es and p	rices.	

ANNUAL AND BEDDING PLANTS

The prices of annuals and bedding plants do not include delivery except in Hartland.

Tr.—Transplants into flats.

Write for list of varieties and prices.

		\mathbf{Per}	\mathbf{Per}
${f E}$	ach	12	100
AGERATUM-2¼ in. pots	10	1.00	8.50
ALYSSUM—tr.		.25	1.75
pots	05	.50	4.00
ANTIRRIHNUM—Snapdragon, tr.		.35	2.50
ASTER—Choice varieties, tr.		.25	1.75
BEGONIA GRACILIS—Pots		1.20	9.00
BEGONIA TUBEROUS ROOTED—Separate colors and mixed,			
	65	6.75	
BROWALLIA—Pots	10	1.00	7.00
CALENDULA—Tr.		.25	1.75
CANNAS—			
King Humbert, scarlet, pots	25	2.75	18.00
Mrs. Alfred Conard, salmon pink pots		2.75	18.00
The President, flaming scarlet, pots		2.75	18.00
COBEA SCANDENS—Potted	10	1.20	
COLEUS—2 ¹ / ₄ in. pots		.60	4.50
COSMOS—Single and double, early flowering, tr		.25	1.75
DRACENA—Pots	50		
GERANIUM-			
Beauty Poitevine, pink, pots 4 in	25	2.75	
Fiatt, intense dark salmon pink, pots 4 in	25	2.75	
Irvington Beauty, rosy salmon pink, pots 4 in	25	2.75	
Radio Red, intense scarlet, pots 4 in.	25	2.75	

	Per 12	Per
Door Calman and A.		100
Deep Salmon, pots 4 in.	25 2.75	
Salmon Ideal, pots 4 in	2.75	
Rose Leaf, pots 4 in	25 2.75	
HELIOTROPE—Pots 2½ in.		
LANTANA—Upright, pots		
LOBELIA—Tr.	.35	2.50
Pots	1.00	7.00
LARKSPUR—Tr.	.25	1.75
MARIGOLD—Lemon, orange, tr	.25	1.75
MORNING GLORY—(Ipomoea) Early flowering sky blue		
pots	1.50	10.00
NASTURTIUM Colden	1.50	10.00
NASTURTIUM—Golden gleam, pots	.50	4.00
PETUNIA—Rosy morn, rose of heaven heavenly blue number		
Willie, Cl	25	0.70
2 74 III. pots	$\begin{matrix} .35 \\ 1.20 \end{matrix}$	2.50
o m. pocs	1.80	9.00
rullied monster, single or double, tr.	.35	$\begin{array}{c} 13.00 \\ 2.50 \end{array}$
Z 1/4 III. Pots	1.20	$\begin{array}{c} 2.30 \\ 9.00 \end{array}$
3 in. pots	1.80	$\begin{array}{c} 3.00 \\ 13.00 \end{array}$
PHLOX DRUMMONDI. Mixed colour /	1.00	10.00
PHLOX DRUMMONDI—Mixed colors, tr	.25	1.75
RICINUS—(Caster Bean)—		
Tall plants with ornamental foliage, pots	1.00	
SALVIA	1.00	
SALVIA—Tr.	.50	4.00
	1.10	9.00
SALPIGLOSSIS—Mixed colors, tr	.50	4.00
SCABIOSA—Separate colors and mixed, tr.		$\boldsymbol{9.00}$
	.25	1.75
THUNBERGI-Drooping plant for window boxes, pots	1.00	7.00
VERBENA—Separate colors and mixed, tr	.35	2.50
		2.00
VINCA—Drooping varigated foliage for window boxes, pots	3.00	20.00
WANDERING JEW—Pots	1.00	
ZINNIA—Dahlia flowered. Separate colors, tr	a=	
Mixed colors, tr	.25	1.75
Zizizod Golors, Gli	.25	1.75
ZINNIA—Dwarf (Lilliput)—		
Separate colors and mixed colors, tr.	.25	1.75
	•	2.00
VEGETABLES—		
Parsley	.25	1.75
Lettuce (head)	.15	1.00
Cabbage	.15	1.00
Kohlrabi	.15	1.00
Tomato	.25	1.75
Celery	.25	1.75
Cauliflower	.25	1.75
Pepper, Sweet and Red	.25	1.75
Egg Plant	.25	1.75
(31)	ALL DAYS	

